Hydrobiologia

The International Journal on Limnology and Marine Sciences

Volume 477, 1 June 2002

***Trichodesmium* in coastal waters of Tanzania: diversity, seasonality, nitrogen and carbon fixation**
Charles Lugomela, Thomas J. Lyimo, Ian Bryceson, Adelaida K. Semesi, Birgitta Bergman 1–13

Variations of antioxidant enzymes in *Daphnia* species and populations as related to ambient UV exposure
Jan Borgeraas, Dag O. Hessen 15–30

The effects of sampling technique on the ecological characterization of shallow, benthic macroinvertebrate communities in two Newfoundland ponds
Sabir B. Muzaffar, Murray H. Colbo 31–39

The effect of different algal densities of *Scenedesmus acuminatus* on the population growth of *Moina micrura* Kurz (Crustacea: Anomopoda, Moinidae)
S.I. Ovie, A.B. M. Egborge 41–45

Recruitment in the swash zone – temporal variations in juvenile recruitment of an exposed sand beach surf clam
I.D. Marsden 47–57

Microdistribution and high diversity of Copepoda (Crustacea) in a small cave in central Slovenia
Anton Brancelj 59–72

Shell morphometric relationships of the most common bivalve species (Mollusca: Bivalvia) of the Algarve coast (southern Portugal)
Miguel B. Gaspar, Miguel N. Santos, Paulo Vasconcelos, Carlos C. Monteiro 73–80

Long-term changes in chemical features of waters of seven Ethiopian rift-valley lakes
G. M. Zinabu, Elizabeth Kebede-Westhead, Zerihun Desta 81–91

***Caecidotea williamsi* (Crustacea: Isopoda: Asellidae), a new species from a saline crater-lake in the eastern Mexican Plateau**
Elva Escobar-Briones, Javier Alcocer 93–105

Local *versus* longitudinal biological variability in a high gradient stream
G. Crosa, S. Villa, M. Cotta-Ramusino 107–114

Physical and chemical characteristics of shallow embayments on the southern coast of Finland
Kaarina Weckström, Atte Korhola, Petri Shemeikka 115–127

Effects of prey type on suspension-feeding behavior in Nile tilapia
S. Laurie Sanderson, K. Lara Ackermann 129–137

Effects of structural habitat on drift distance and benthic settlement of the caddisfly, *Ceratopsyche sparna*
Joseph R. Holomuzki, Adria S. Van Loan 139–147

The use of *Artemia* biomass sampling to predict cyst yields in culture ponds
P. Baert, Nguyen Thi Ngoc Anh, Alex Burch, P. Sorgeloos 149–153

A simple combined method for determination of β-1,3-glucan and cell wall polysaccharides in diatoms
Espen Granum, Sverre M. Myklestad 155–161

Interactions between light and CO_2 enhance the growth of *Riccia fluitans*
Troels Andersen, Ole Pedersen 163–170

Nocturnal increases in the use of near-surface water by pond animals
Stephanie E. Hampton, Nick A. Friedenberg 171–179

The relationship between food density and short term assimilation rates in *Potamopyrgus antipodarum* and *Deleatidium* sp.
N. Broekhuizen, S. Parkyn, D. Miller, R. Rose 181–188

Anaerobic capacity of a crustacean sensitive to low environmental oxygen tensions, the freshwater amphipod *Gammarus pulex* (L.)
John I. Spicer, C. Lucy Dando, Lorraine Maltby 189–194

Habitat and shelter requirements of the stone crayfish, *Austropotamobius torrentium* Schrank
Franz Streissl, Walter Hödl 195–199

Growth, morphometrics, size at maturity, sexual dimorphism and condition index of *Austropotamobius torrentium* Schrank
Franz Streissl, Walter Hödl 201–208

The introduced alga *Undaria pinnatifida* (Laminariales, Alariaceae) in the lagoon of Venice
D. Curiel, P. Guidetti, G. Bellemo, M. Scattolin, M. Marzocchi 209–219

Spatially explicit population responses of crayfish *Procambarus alleni* to potential shifts in vegetation distribution in the marl marshes of Everglades National Park, USA
Charles A. Acosta, Sue A. Perry 221–230

Marine algae from the Gulf of Santa Clara, Sonora, México
L.E. Aguilar-Rosas, R. Aguilar-Rosas, L.E. Mateo-Cid, A.C. Mendoza-González 231–238

Erratum 239–241

Author index 243